

SURVEY PROTOCOL FOR THE ARROYO TOAD

May 19,1999

The following guidelines are provided to facilitate accurate assessments of the presence or absence of the federally listed endangered arroyo toad (*Bufo microscaphus californicus*). Accurate survey data are needed to provide the U.S. Fish and Wildlife Service (Service) with sufficient information to respond to requests for Federal permits and licenses. Currently, surveys performed in accordance with these guidelines will not require a permit under section 10(a)(1)(A) of the Endangered Species Act of 1973, as amended. However, permits to conduct arroyo toad surveys may be required in the future. In all cases, extreme care must be taken when conducting surveys to avoid inadvertently injuring or killing toads, or damaging their habitat. These guidelines are not meant to be used for long-term monitoring of projects or the overall status of populations; guidelines for such monitoring efforts should be developed with the assistance of the Service for specific cases.

The Service recommends that the following survey guidelines be used to determine if arroyo toads are present in the vicinity of proposed activities, but cautions that negative surveys during a year of severe weather (e.g., drought, extended rainy season, cold weather) may be inconclusive. Contact the appropriate field office (addresses and phone numbers below) before conducting surveys for additional information.

- 1) Areas within one kilometer (1 km) of arroyo toad sites (documented by the presence of eggs, larvae, juveniles, or adults) that have suitable habitat shall be presumed to have arroyo toads.
- 2) If the sole purpose of surveys is to determine the presence or absence of the arroyo toad, surveys shall cease immediately upon determination that arroyo toad eggs, larvae, juveniles, or adults are present in the survey area. The arroyo toad locations shall be recorded on a USGS 1:24,000 (7.5 minute) map
- 3) To be reasonably confident that arroyo toads are not present at a site, at least six (6) surveys must be conducted during the breeding season, which generally occurs from March 15 through July 1, with at least seven (7) days between surveys. Extreme weather conditions can cause variations in the breeding season; these conditions should be fully considered when developing a schedule of surveys. If uncertainty exists as to whether environmental conditions are suitable (see guideline #9 below), contact the appropriate field office for further information.
- 4) At least one survey shall be conducted per month during April, May, and June.
- 5) Surveys shall include both daytime and nighttime components conducted within the same 24-hour period (except when arroyo toads have been detected in the survey area).
- 6) Daytime surveys shall include an assessment and mapping of: a) arroyo toad habitat suitability, and b) the presence of arroyo toad eggs, larvae, or juveniles. Extreme caution must be used to avoid crushing arroyo toads that are burrowed into sand bars and banks, or lodged in depressions in the substrate (sand, gravel, soil). Arroyo toads will use trails and roads up to

several hundred meters from breeding sites while foraging; therefore, caution must be taken to not disturb, injure, or kill arroyo toads when using these roads and trails.

7) Daytime surveys shall be conducted by walking slowly along stream margins and in adjacent riparian habitat, visually searching for (but not disturbing) eggs, larvae, and juveniles. If necessary, surveyors may walk within the stream, taking care not to disturb or create silt deposits within breeding pools. If stream crossings are necessary, these should be on the downstream ends of potential breeding pools or in fast-flowing channels to minimize the likelihood of stirring up silt deposits. Arroyo toad eggs are usually laid in shallow water (less than four inches deep), and are susceptible to being smothered by silt that may be raised by walking in or across breeding pools.

8) Nighttime surveys (assuming eggs, larvae, and/or juveniles have not been detected) shall be conducted by walking slowly and carefully on stream banks. Surveyors should stop periodically and remain still and silent for approximately 15 minutes at appropriate sites to wait for arroyo toads to begin calling. The same cautions used for daytime surveys to avoid disturbing, injuring, or killing arroyo toads shall be incorporated.

9) Nighttime surveys must be conducted between one hour after dusk and midnight, when air temperature at dusk is 55 degrees Fahrenheit or greater. Surveys should not be conducted during nights when a full or near-full moon is illuminating the survey area or during adverse weather conditions such as rain, high winds, or flood flows.

10) Nighttime surveys must be conducted as silently as possible, because talking or other human-generated noises may cause arroyo toads to stop calling or leave the creek. Strong headlights or flashlights may be used to visually locate and identify adult arroyo toads, and flash photography may be used to document sightings of solitary individuals; otherwise lighting should be kept to a minimum.

11) Pairs of arroyo toads are very sensitive to disturbances, particularly waves or ripples (calling males are less easily disturbed). Therefore, surveyors must not enter the water near amplexing or courting pairs, and must immediately leave the vicinity upon their discovery.

12) A final report, to be submitted within 30 days of each field season or positive survey shall be prepared that includes survey dates and times, names of surveyor(s), air temperature, estimated wind speed, lighting conditions, a description of the survey methods used, and survey locations plotted on a USGS 1:24,000 (7.5 minute) map.


13) The results of a field survey may not be valid for any of the following reasons: a) surveys were conducted in a manner inconsistent with this protocol, b) surveys were incomplete, c) surveys were conducted during adverse conditions or during a season of severe weather conditions, or d) reporting requirements were not fulfilled. In such cases, the Service may request that additional surveys be conducted.

The final report should be provided to the appropriate Service field office:

For surveys in Monterey, San Luis Obispo, Santa Barbara, and Ventura Counties, Los Angeles County west of Highway 405, and the desert portions of Los Angeles and San Bernardino Counties, reports should be sent to the Ventura Fish and Wildlife Office, 2493 Portola Road, Suite B, Ventura, California 93003 (phone: (805) 644-1766).

For surveys in Los Angeles County east of Highway 405 and south of the desert, Orange, Riverside, Imperial, San Diego, and montane and cismontane San Bernardino Counties, reports should be sent to the Carlsbad Fish and Wildlife Office, 2730 Loker Avenue West, Carlsbad, California 92008 (phone: (760) 431-9440).

If a surveyor thinks that a specific project warrants alterations in this protocol, the Service should be contacted prior to the onset of surveys to discuss and possibly grant permission for proposed modifications. We would appreciate receiving any comments or ideas on these guidelines or recommendations for their improvement. For additional information, please contact the Ventura Fish and Wildlife Office at (805) 644-1766 or the Carlsbad Fish and Wildlife Office at (760) 431-9440.



Diane K. Noda
Field Supervisor